


Exposed Thermostatic Shower System Wall Mounted



GUARANTEE & AFTERCARE

When installing or using tools, take care to avoid damaging the finish or fitting. Clean regularly with a soft damp cloth only to maintain appearance; avoid abrasive cleaners or detergents as they may cause surface damage. The company guarantee against faulty materials or manufacturing, excluding serviceable parts, if installed, cared for, and used according to our instructions.


WATER SUPPLY REGULATIONS

This product has been manufactured to comply with the relevant standards and conform to Water Supply Regulations.






COMPONENTS LIST





PARTS REPLACEMENT



| BILL OF MATERIAL | | | | |
|------------------|----------|---------------|----------|-----|
| ITEM | PT/ASSY | DESCRIPTION | TYPE | QTY |
| | | Temp control | | |
| 1 | 332-09 | leaver | ASSEMBLY | 2 |
| 2 | 332-02 | Cartridge | ASSEMBLY | 2 |
| 3 | 144-4 | Shower head | ASSEMBLY | 1 |
| 4 | 332-03 | Spares | ASSEMBLY | 2 |
| 5 | 086WP-1A | Brass Ferule | ASSEMBLY | 1 |
| 6 | 144-9 | shower arm | ASSEMBLY | 1 |
| 7 | 0166-3 | Wall Flange | ASSEMBLY | 2 |
| 8 | 6771A | Comp nut | ASSEMBLY | 2 |
| 9 | 3418-1 | Brass Ferule | ASSEMBLY | 2 |
| 10 | 331-13 | Inlet Bushing | ASSEMBLY | 2 |
| 11 | 331-15 | D-Elbow | ASSEMBLY | 2 |
| | | Thermostatic | | |
| 12 | 331-09 | Cartridge | ASSEMBLY | 2 |
| 13 | 331-07 | Handle | ASSEMBLY | 4 |
| 14 | 331-04 | Screw | ASSEMBLY | 1 |

